

## GaussianJW

### Parametrisation

The GaussianJW likelihood is a two-part likelihood for  $\{(y, v)_i\}$ . First a Gaussian observation  $y$

$$y|\dots \sim \mathcal{N}(p, V(p, n))$$

with mean (probability)  $p$  and a variance function

$$V(p, n) = \exp(\beta_1 + \beta_2 \log(p(1-p)) + \beta_3 \log(n))$$

and then an (conditional independent) observed variance  $v$ , where

$$\nu \frac{v}{V(p, n)} | \dots \sim \chi^2_\nu.$$

The case  $\beta_1 = 0, \beta_2 = 1, \beta_3 = -1$  resembles the case where a Binomial is approximated with a Normal.  $(n, \nu)$  is considered as fixed.

### Link-function

The probability  $p$  is linked to the linear predictor  $\eta$  with a (default) logit link

$$p = \frac{1}{1 + \exp(-\eta)}$$

but other links are also possible.

### Hyperparameters

The hyperparameters are

$$\theta_1 = \beta_1$$

$$\theta_2 = \beta_2$$

$$\theta_3 = \beta_3$$

and the prior is defined on  $(\theta_1, \theta_2, \theta_3)$ .

### Specification

- `family="gaussianjw"`
- Required arguments:  $y$ ,  $n$  and  $\nu$  (all vectors of the same length) as an `inla.mdata()`-object with this specific ordering, see the example.

### Hyperparameter specification and default values

`doc` The GaussianJW likelihood

`hyper`

`theta1`

`hyperid 65101`

`name beta1`

`short.name beta1`

`output.name beta1 for GaussianJW observations`

```

    output.name.intern beta1 for GaussianJW observations
    initial 0
    fixed FALSE
    prior normal
    param 0 100
    to.theta function(x) x
    from.theta function(x) x
theta2
    hyperid 65102
    name beta2
    short.name beta2
    output.name beta2 for GaussianJW observations
    output.name.intern beta2 for GaussianJW observations
    initial 1
    fixed FALSE
    prior normal
    param 1 100
    to.theta function(x) x
    from.theta function(x) x
theta3
    hyperid 65103
    name beta3
    short.name beta3
    output.name beta3 for GaussianJW observations
    output.name.intern beta3 for GaussianJW observations
    initial -1
    fixed FALSE
    prior normal
    param -1 100
    to.theta function(x) x
    from.theta function(x) x

survival FALSE

discrete FALSE

link default logit probit

pdf gaussianjw

```

## Example

```

n <- 300
x <- rnorm(n, sd = 0.5)
eta <- 1 + x
p <- 1/(1 + exp(-eta))
df <- sample(10:100, n, replace = TRUE)
size <- df

```

```

va <- p * (1.0 - p) / size
v <- rchisq(n, df = df) * va / df
phat <- rnorm(n, mean = p, sd = sqrt(v))
Y <- inla.mdata(phat, v, size, df)

r <- inla( Y ~ 1 + x,
          data = list(Y = Y, x = x),
          family = "gaussianjw",
          ## this might be needed
          control.inla = list(cmin = 0))
summary(r)

```